Blema PKXStr 1000.2

sheet feeder ● trimmer ● scroll shear ● stacking unit

Pre-owned shear with on first operation trimming unit. This shear can be used for twist-off, shells and other ends as well.

Technical specifications

CazProductNumber CPN	6572
Name	Blema PKXStr 1000.2
Speed (up to)	25-90 sheets per minute
Sheet length max.	1100 mm
Sheet width max.	1100 mm

Videos

There are no videos available for this product.

Photos

Follow us:

Follow us:

VEB BWA Aue
VEB Kombinat Umformtechnik
„Herbert Warnke" Erfurt
Número de fabricación
Peso total
Diagrama de conexiones
Diagrama de montaje
Gama de temperaturas
°C
Cl. corriente / frecuencia
Hz
Tensión nominal
V
Tensión de mando
V
Tensión auxiliar
V
Potencia conectada
kW
Corriente nom. máquina
A
Corriente nominal del fusible de alimentación
acc. rápida
acc. lenta
A
A
Numero clave ELN
Made in GDR

Cizallas Circulares

Follow us:


CC6 - PS3 (1/2


VE WA Aue
VEB Kombinat Umformtechnik
„Herbert Warnke" Erfurt
Número de fabricación 56617
Peso total 5,5
Diagrama de conexiones 546.66-0900:02-09/1
Diagrama de montaje 546.66-0900:83-09/1
Gama de temperaturas -5 — +35 °C
Cl. corriente/ frecuencia 3 ~/50 Hz
Tensión nominal 220 V
Tensión de mando 220 V
Tensión auxiliar 12/24 V
Potencia conectada 14 kW
Corriente nom. máquina 50 A
Corriente nominal acc. rápida
del fusible de acc. lenta
alimentación 63 A
Número clave ELN
Producido en KDA

Follow us:


DEXTER-LAWSON
PRODUCTS LIMITED
MODEL
6MSSP
MAX. SIZE
SERIAL NO.
30669
MIN. SIZE
MANUFACTURED UNDER ONE OR MORE OF THE FOLLOWING PATENTS
2,733,064 3,040,388 3,503,469
2,747,869 3,051,96 3,510,119
3,003,479 3,514,027
2,757,929 3,052,466 3,515,257
2,766,870 3,071,371
2,774,487 3,089,693
2,775,448 3,089,695
2,781,842 3,123,848
2,799,499 3,147,007
2,801,646 3,193,279
2,810,468 3,211,448
2,819,074 3,218,062
Re. 25152 3,228,681
2,827,632 3,232,243
2,838,306 3,255,652
2,850,279 3,258,264
2,898,937 3,279,360
2,936,171 3,279,785
2,957,691 3,294,394
2,966,354 3,330,400
3,032,340 3,445,107

Follow us: